


Zund Coated Carbide Oscillating Knife Blade

Zund **Z609c** Coated Carbide Oscillating **Knife Blade** 5231373



Specifications

Properties

Long coated knife with serrated edge, suitable for aluminium honeycomb panels.

Recommended materials

Foam - PE

Foam - PUR

Honeycomb

Tools

POT 1.5

Knife type

Drag knife - pointed

Material of article

HM/Carbide

Max. cutting depth

45

Post-cut


Pre-cut

$3.64 + 0.04 \times T_m$

Thickness of shaft

1.5 mm

Zund Z42c coated Oscillating Knife Blade(5203005)



Pre-cut

0.7 x Tm

Post-cut

0.80 mm

Max Cutting Depth mm

7.8

Knife thickness

0.63 mm

Knife Material

HM/Carbide

suitable for machine manufacturer: blade no.

Dyss: (AGDYB420)

iEcho: (E42)

Mécanuméric

Zünd: (3910324, Z42) , 5203005

recommended materials:


leather

Special feature:

Adaptation with additional TIN coating to increase the performance.

Due to the anti-stick property and improved transfer of frictional heat, the service life can be increased, additional improvement of wear and scratch resistance.

Zund Z204c Coated Oscillating Knife blade 5225892



Suitable for cutting: leather up to 9 mm thick fine details, ideal for small radii

Dimensions:

- 28mm long
- [knife](#) width 5.7mm
- 0.63 mm thick
- 8.5mm maximum cutting depth
- cutting angle 20° / 45°

Pre-Cut: $0.67 + 0.12 \times T_m$

Zund Z205c Carbide Oscillating Coated Knife Blade 5222976



Properties

Robust oscillation [knife](#)

Recommended materials

Leather hardLeather hideLeather suede

[Tools](#)

EOTEOT-250POT 0.6POT 1.5

[Knife](#) type

Oscillating knife - flat

Material of article

HM/Carbide

Max. cutting depth

7.8 mm

Post-cut

1.55 mm

Pre-cut

-0.85 + 1.38 x Tm

Thickness of shaft

0.63 mm

Zund Coated Knife Blades **Z104C** 5230655



Properties

The Z104c is designed for precise cutting of corrugated board up to 7mm thick

Recommended Materials

Corrugated Cardboard

Knife Type

Drag and Oscillating blade – flat

Max Cutting Depth mm

11

Pre-cut

$1.4 + 0.18 \times T_m$

Thickness

0.63 mm

Knife Material

HM/Carbide

Zund Coated Knife Blades [Z206C](#) 5230655



Properties

Coated, pointed blade with small overcut for cutting small radii or small details

Recommended materials

Corrugated cardboard

Tools

EOT

EOT-250

POT 0.6

POT 1.5

Knife type

Oscillating knife - pointed

Material of article

HM/Carbide

Max. cutting depth

11 mm

Pre-cut

$1.24 + 0.18 \times T_m$

Thickness of shaft

0.63 mm