


Decagonal (10-sided) Rotary Blade. Solid Carbide. Used in DRT PRT

Driven Rotary Tool (DRT) Decagonal (10-sided) Rotary Blade, Power Rotary Tool (PRT) Decagonal (10-sided) Rotary Blade



Blades for CNC machines with a rotary cutting tool: Zund Bullmer iEcho Kuris Esko Kongsberg Artisto Gerber MCT Lectra MFC Tungsten Carbide Plotter Cutter Cutting Rotary Blades

Composition

Tungsten Carbide – HM – Hard Metal

Tool

Driven Rotary Tool (DRT)

Power Rotary Tool (PRT)

Recommended materials

Aramid fibre

Carbon fibre

Fabric

Felt

Glass fibre

Leather hide

Nonwoven fabric

Nylon fabric

Paper

Polyester fabric

Technical textiles

Compatible Brand

Aoke-Kasemake

Atom

Balacchi

Blackman & White

DRD

DYSS

Ecocam

Filiz

Haase

Humantec

Ibertec

KSM

Lectra

SCM

Samurai

Summa

Torielli

USM

Wild Leica

Zünd

iEcho



Specifications:

Specification	OD (mm)	ID (mm)	T (mm)
22x8x0.63	22	8	0.63
25x8x0.63	25	8	0.63
28x8x0.63	28	8	0.63
32x8x0.63	32	8	0.63
36x8x0.63	36	8	0.63
38x8x0.63	38	8	0.63
40x8x0.63	40	8	0.63
41x8x0.63	41	8	0.63
45x8x0.63	45	8	0.63