

## Knives/Knife Blades for Zund CNC Digital Cutting Systems



### Z608

Knife like Zund Z608 (5210315)

Max. cutting depth: 56 mm, 88° / Oscillating blade, pointed for application in Zünd digital cutters EOT-250 & POT

### Z29

Zund knife Z29 for Zund Cutter

Knife like Zund Z29 (3910319)

Max. cutting depth: 31 mm, 86° / Drag and Oscillating blade – pointed for application in Zünd digital cutters EOT, EOT-250 & POT

## Z16

Oscillating knife Z16, 3910306 - Zund

Knife like Zund Z16 (3910306)

Max. cutting depth 7.4mm, 54°/ Drag Blade&oscillating blade,  
pointed for Zünd digital cutters EOT, EOT-250, PCT, POT 0.6, POT  
1.5, SCT, UCT

## Z68

Zund Z68 Oscillating knife Max. cutting depth 29mm. For Zünd  
cutters EOT-250, POT 1.5 equivalent to 5204301

Knife like Zund Z68 (5204301)

Max. cutting depth 29mm/ Oscillating blade, flat for Zünd cutters  
EOT-250, POT 1.5 equivalent to 5204301

## Z202

Oscillating plotter knife Z202 in solid tungsten carbide for use in  
Zünd digital cutters

Knife like Zund Z202 (5209985)

Max. cutting depth: 14.5mm. Oscillating blade, flat for application in  
Zünd digital cutter EOT-250, equivalent to 5209985

## Z63

Knife like Zund Z63 (5002637)

Max. cutting depth: 28mm, 83°/ Oscillating blade, flat for application  
in Zünd digital cutters S3, G3 & L3 with POT & EOT heads

## Z606

Long oscillating plotter knife Zund Z606 5210312 in solid tungsten carbide

Knife like Zund Z606 (5210312)

Max. cutting depth: 71.5mm. Oscillating blade, pointed for application in Zünd digital cutter, equivalent to 5210312

## Z204

Oscillating plotter knife Zund Z204 5221187

Knife like Zund Z204 (5221187)

Max. cutting depth: 8.5mm / 20°. Oscillating blade, flat for application in Zünd digital cutter

## Z104

Oscillating knife ZUND Z104 5221104 of solid tungsten carbide

Knife like Zund Z104 (5221104)

Max. cutting depth: 11mm. Drag blade, oscillating, flat for application in Zünd digital cutter, equivalent to 5221104

## Z11

Zund Z11 Drag Blade 60° Max. cutting depth: 6.9 mm / 3910309

Knife like Zund Z11 (3910309)

Max. cutting depth: 6.9 mm, 60°/ Drag blade, flat-stock for application in Zünd digital cutters UCT & SCT

## Z1

Drag blade round-stock Z1 for application in Zünd digital cutters

KCT, C2/C2P & KCM-S

Knife like Zund Z1 (3910105)

Max. cutting depth: 1 mm, 35° / Drag blade, round-stock for

application in Zünd digital cutters KCT, C2/C2P & KCM-S

Z17

Zund Z17 Drag and Oscillating Knife blade 65° Max. cutting depth:

12 mm/ 3910307 / Oscillating blade – pointe

Knife like Zund Z17 (3910307)

Max. cutting depth: 12 mm, 65° / Drag & oscillating blade, pointed

for application in Zünd digital cutter

[Z2](#)

Drag blade, round-stock Z2 for application in Zünd digital cutters

KCT, C2/C2P & KCM-S

Knife like Zund Z2 (3910110)

Max. cutting depth: 1 mm, 35° / Drag blade, round-stock for

application in Zünd digital cutters KCT, C2/C2P & KCM-S

Z201

Knife type Zund Z201 (5209201)

Max. cutting depth: 17.4mm. Oscillating blade, flat for application in

Zünd digital cutter EOT-250, equivalent to 5209201

Z21

Zund Z21 Oscillating Knife Blade 84° Max. cutting depth: 17.2 mm

/ 3910314 / Oscillating blade - pointed

Knife like Zund Z21 (3910314)

Max. cutting depth: 17.2 mm, 84°/ Oscillating blade, pointed for application in Zünd digital cutters EOT, EOT-250 & POT

## Z28

Zund Z28 Oscillating Knife Blade 86° Max. cutting depth: 26 mm /

3910318

Knife like Zund Z28 (3910318)

Max. cutting depth: 26 mm, 86°/ Oscillating - drag blade, pointed for application in Zünd digital cutters EOT, EOT-250 & POT

## Z22

pointed blade high quality for cutting corrugated, corrugated plastic, foam board

Knife like Zund Z22 (3910315)

Max. cutting depth: 14 mm, 79°/ Oscillating blade, pointed for application in Zünd digital cutters EOT, EOT-250 & POT

## Z44

Zund Z44 Drag tangential Knife Blade 60° Max. cutting depth: 14 mm / 3910340

Knife like Zund Z44 (3910340)Max. cutting depth: 14 mm, 60°/

Drag blade, flat-stock for application in Zünd digital cutters UCT &

## SCT

### Z61

manufactures plotter knives Z61 for Zund Cutter

Knife like Zund Z61 (5201343)

Max. cutting depth 20mm, 81.5° / Oscillating blade, flat for application in Zünd digital cutters POT & EOT-250

### Z64

Oscillating blade - flat – Z64 for application in Zünd digital cutter

POT

Knife like Zund Z64 (5002739)

Max. cutting depth 57mm, 88° / Oscillating blade, flat for application in Zünd digital cutter POT

### Z62

Zund Z62 Oscillating Knife Blade 80° Max. cutting depth: 13.2 mm /5002488

Knife like Zund Z62 (5002488)

Max. cutting depth: 13.2 mm, 78° / Oscillating blade, flat for application in Zünd digital cutters POT & EOT

### Z11

Zund Z11 Drag Blade 60° Max. cutting depth: 6.9 mm / 3910309

Knife like Zund Z11 (3910309)

Max. cutting depth: 6.9 mm, 60° / Drag blade, flat-stock for

application in Zünd digital cutters UCT & SCT

## Z1

Drag blade round-stock Z1 for application in Zünd digital cutters

KCT, C2/C2P & KCM-S

Knife like Zund Z1 (3910105)

Max. cutting depth: 1 mm, 35° / Drag blade, round-stock for application in Zünd digital cutters KCT, C2/C2P & KCM-S

## Z17

Zund Z17 Drag and Oscillating Knife blade 65° Max. cutting depth: 12 mm/ 3910307 / Oscillating blade – pointe

Knife like Zund Z17 (3910307)

Max. cutting depth: 12 mm, 65° / Drag & oscillating blade, pointed for application in Zünd digital cutter

## Z2

Drag blade, round-stock Z2 for application in Zünd digital cutters

KCT, C2/C2P & KCM-S

Knife like Zund Z2 (3910110)

Max. cutting depth: 1 mm, 35° / Drag blade, round-stock for application in Zünd digital cutters KCT, C2/C2P & KCM-S

## Z201

Knife type Zund Z201 (5209201)

Max. cutting depth: 17.4mm. Oscillating blade, flat for application in

Zünd digital cutter EOT-250, equivalent to 5209201

## Z21

Zund Z21 Oscillating Knife Blade 84° Max. cutting depth: 17.2 mm / 3910314 / Oscillating blade - pointed

Knife like Zund Z21 (3910314)

Max. cutting depth: 17.2 mm, 84°/ Oscillating blade, pointed for application in Zünd digital cutters EOT, EOT-250 & POT

## Z16

Oscillating knife Z16 3910306 - Zund

Knife like Zund Z16 (3910306)

Max. cutting depth 7.4mm, 54°/ Drag Blade&oscillating blade, pointed for Zünd digital cutters EOT, EOT-250, PCT, POT 0.6, POT 1.5, SCT, UCT

## Z68

Zund Z68 Oscillating knife 5pcs Max. cutting depth 29mm. For Zünd cutters EOT-250, POT 1.5 equivalent to 5204301

Knife like Zund Z68 (5204301)

Max. cutting depth 29mm/ Oscillating blade, flat for Zünd cutters EOT-250, POT 1.5 equivalent to 5204301

## Z202

Knife like Zund Z202 (5209985)

Max. cutting depth: 14.5mm. Oscillating blade, flat for application in



Zünd digital cutter EOT-250, equivalent to 5209985

Z63

Knife like Zund Z63 (5002637)

Max. cutting depth: 28mm, 83°/ Oscillating blade, flat for application in Zünd digital cutters S3, G3 & L3 with POT & EOT heads

Z606

Long oscillating plotter knife Zund Z606 5210312 in solid tungsten carbide

Knife like Zund Z606 (5210312)

Max. cutting depth: 71.5mm. Oscillating blade, pointed for application in Zünd digital cutter, equivalent to 5210312

Z204

Knife like Zund Z204 (5221187)

Max. cutting depth: 8.5mm / 20°. Oscillating blade, flat for application in Zünd digital cutter

Z104

Oscillating knife ZUND Z104 5221104 of solid tungsten carbide machine knives

Knife like Zund Z104 (5221104)

Max. cutting depth: 11mm. Drag blade, oscillating, flat for application in Zünd digital cutter, equivalent to 5221104

Z608

Knife like Zund Z608 (5210315)

Max. cutting depth: 56 mm, 88°/ Oscillating blade, pointed for application in Zünd digital cutters EOT-250 & POT

Z29

Zund knife Z29 for Zund Cutter

Knife like Zund Z29 (3910319)

Max. cutting depth: 31 mm, 86°/ Drag and Oscillating blade – pointed for application in Zünd digital cutters EOT, EOT-250 & POT

Z20

Zund Z20 Oscillating Blade 84° Max. cutting depth: 14.3 mm /

3910313

Knife like Zund Z20 (3910313)

Max. cutting depth: 14.3 mm, 84°/ Oscillating blade, pointed for application in Zünd digital cutters EOT, POT & EOT-250

Z10

Knife type Zund Z10 3910301 in solid tungsten carbide for use in Zünd digital cutting machines

Knife like Zund Z10 (3910301)

Max. cutting depth: 4.8 mm, 50°/ Drag blade, flat-stock for application in Zünd digital cutters UCT & SCT

Z46

Zund Z46 Drag Knife Blade 45° Max. cutting depth: 20 mm /

4800073

Knife like Zund Z46 (4800073)

Max. cutting depth: 20 mm, 45° / Drag blade, flat-stock for application in Zünd, Summa Cutters

[Z60](#)

Plotter knife type Zund Z60

Knife type Zund Z60 (5201345)

Max. cutting depth 16.5mm, 55°/81,5° / Oscillating blade - pointed, for application in Zünd digital cutters POT & EOT-250

Z701

V-cut blade Z701, 5222972 - Zund

Knife V-Cut like Zund Z701 (5222972)

Max. cutting depth 25mm /5222972/ For Zünd cutters VCT 2. Bevel angles: 0°, 5°, 10°, 15°, 22.5°, 30°, 45°

Z53

Z50

Z51

[Z52](#)

Z71

Zund Z71 V-Cut Knife Blade

Knife V-Cut like Zund Z71 (5006045)

Max. cutting depth: 16/18.4 mm / V-Cut drag blade for application in

Zünd digital cutter VCT

[Z73](#)

V-Cut Drag blade like Zund Z73    Max.cutting depth: 16/18.2mm.

Knife V-Cut like Zund Z73 (5005572)

Max.cutting depth: 16/18.2mm/ For Martor Powercut, Zund S3 &

G3 digital cutters