

Zund R504 Color-Coated Router Bits

Zund 彩色塗層銑刀 Farbbeschichtete Fräser von Zund Bit bộ định tuyến phủ màu Zund
Фрезы Zund с цветным покрытием Embouts de toupie Zund à revêtement coloré Frezy
Zund pokryte kolorem Zund カラーコーティングルーター
ビット Punte per fresa Zund rivestite a colori



Recommended Materials Specifications

Properties

Coated multipurpose router bit

Recommended materials

ACM

Aluminum alloy

Corrugated plastic - PP

Expanded PVC

Foam - PE

Foam - PUR

Hard paper

Plastic - PA 6.6

Plastic - PC

Plastic - PE

Plastic - PET

Plastic - PETG

Plastic - PMMA (Acryl)

Plastic - PP

Wood - MDF

Wood - MPX

Wood - Plywood

XPS

Tools

R45-s

RM-A

RM-A QC

RM-L

RM-S

Diameter of shank

6 mm

Max. rotations speed (1/min)

50000

Max. routing depth

14 mm

Number of cutting edges

1

Routing diameter

4 mm

Twist

right-hand twist

Polished Single O flute - Up Cut with nACo coating,
a micro-thin ceramic coating to enable the bit's
cutting edge to retain crucial sharpness and lubricity